

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0266.0860

Strain: MOONWATER BERRY TWIST -- MWBT30LOT03
Batch#: ; Batch Size: g
Sample Received: 10/20/2025; Report Created: 10/26/2025

Sampling: ; Environment:

MOONWATER BERRY TWIST -- MWBT30LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



0.009%

Δ9 THC

ND

Total CBD

NT

31.50 mg/unit

Total THC

31.50 mg/unit

Total
Cannabinoids

Moisture

Cannabinoids

Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	31.50	0.09
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	<LOQ	<LOQ
CBGa	3.40	ND	ND
CBG	3.40	<LOQ	<LOQ
CBC	3.40	ND	ND
Total		31.50	0.09

1 mL = 0.9971g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017,

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Hunter Flanagan
Laboratory Manager

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0266.0860

Strain: MOONWATER BERRY TWIST -- MWBT30LOT03
Batch#: ; Batch Size: g
Sample Received: 10/20/2025; Report Created: 10/26/2025

Sampling: ; Environment:

MOONWATER BERRY TWIST -- MWBT30LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



13131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs
2510CWB0266.0860
Matrix: Edible
TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS OTHER THAN

Certificate of Analysis

Pages 1 of 5

COMPLIANCE FOR RETAIL

Clearwater Biotech
DAS1021010-003

Harvest/Lot ID: MWBT30LOT03
Batch #: 1
Harvest Date: 10/20/25
Production Method: Other - Not Listed
Total Amount: 1 units
Retail Product Size: 1 units
Retail Serving Size: 1 units
Servings: 1

Lab ID: DAS1021010-003
Sampled: 10/20/25
Sampling Method: KP
Sample Size: 11 ml
Completed: 10/23/25

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

SAFETY RESULTS

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filt/Foreign	Water Activity	Moisture	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

Pesticide **PASSED**

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.01	0.05	30	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.01	0.05	1	PASS	ND	
TOTAL PERMETHRIN	ppm	0.01	0.05	1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.01	0.05	1	PASS	ND	
TOTAL SPINETORAM	ppm	0.01	0.05	3	PASS	ND	
TOTAL SPINOSAD	ppm	0.01	0.05	3	PASS	ND	
ABAMECTIN B1A	ppm	0.01	0.05	0.3	PASS	ND	
ACEPHATE	ppm	0.01	0.05	3	PASS	ND	
ACEQUINOXYL	ppm	0.01	0.05	2	PASS	ND	
ACETAMIPROD	ppm	0.01	0.05	3	PASS	ND	
ALDICARB	ppm	0.01	0.05	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.01	0.05	3	PASS	ND	
BIFENAZATE	ppm	0.01	0.05	3	PASS	ND	
CHLORPYRIFOS	ppm	0.01	0.05	0.1	PASS	ND	
BIFENTHRIN	ppm	0.01	0.05	0.5	PASS	ND	
BOSCALID	ppm	0.01	0.05	3	PASS	ND	
CARBARYL	ppm	0.01	0.05	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.01	0.05	0.5	PASS	ND	
CARBOURAN	ppm	0.01	0.05	0.1	PASS	ND	
COLMAPHOS	ppm	0.01	0.05	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.01	0.05	3	PASS	ND	
DAMINOZIDE	ppm	0.01	0.05	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.01	0.05	3	PASS	ND	
DAZINON	ppm	0.01	0.05	3	PASS	ND	
DICHLOROVOS	ppm	0.01	0.05	0.1	PASS	ND	
DIMETHOATE	ppm	0.01	0.05	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.01	0.05	0.1	PASS	ND	
ETOFENPROLE	ppm	0.01	0.05	0.1	PASS	ND	
ETOXAZOLE	ppm	0.01	0.05	1.5	PASS	ND	
FENHEXAMID	ppm	0.01	0.05	3	PASS	ND	
FENOXICARB	ppm	0.01	0.05	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantification (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17023:2017
Accreditation PPA-Testing
97164

Signature
10/23/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0266.0860

Strain: MOONWATER BERRY TWIST -- MWBT30LOT03
Batch#: ; Batch Size: g
Sample Received: 10/20/2025; Report Created: 10/26/2025

Sampling: ; Environment:

MOONWATER BERRY TWIST -- MWBT30LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: DA51021010-003
Batch #: 1
Harvest/Lot ID: MWBT30LOT03

Ordered: 10/20/25
Sampled: 10/20/25
Completed: 10/23/25

Pages 2 of 5

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FENPROXIMATE	ppm	0.01	0.05	2	PASS	ND	
FIPRONIL	ppm	0.01	0.05	0.1	PASS	ND	
FLONICAMID	ppm	0.01	0.05	2	PASS	ND	
FLUDIOXONIL	ppm	0.01	0.05	3	PASS	ND	
HEXYTHIAZOX	ppm	0.01	0.05	2	PASS	ND	
IMAZALIL	ppm	0.01	0.05	0.1	PASS	ND	
IMIDACLOPRID	ppm	0.01	0.05	1	PASS	ND	
KRESOXIM-METHYL	ppm	0.01	0.05	1	PASS	ND	
MALATHION	ppm	0.01	0.05	2	PASS	ND	
METALAXYL	ppm	0.01	0.05	3	PASS	ND	
METHOXYCARB	ppm	0.01	0.05	0.1	PASS	ND	
METHOMYL	ppm	0.01	0.05	0.1	PASS	ND	
MEVINPHOS	ppm	0.01	0.05	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.01	0.05	3	PASS	ND	
NALED	ppm	0.01	0.05	0.5	PASS	ND	
OXAMYL	ppm	0.01	0.05	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.01	0.05	0.1	PASS	ND	
PHOSMET	ppm	0.01	0.05	0.2	PASS	ND	
PIPERONIL BUTOXIDE	ppm	0.01	0.05	3	PASS	ND	
PRALLETHIN	ppm	0.01	0.05	0.4	PASS	ND	
PROPCONAZOLE	ppm	0.01	0.05	1	PASS	ND	
PROPOXUR	ppm	0.01	0.05	0.1	PASS	ND	
PYRIDABEN	ppm	0.01	0.05	3	PASS	ND	
SPINOSEFEN	ppm	0.01	0.05	3	PASS	ND	
SPIROTETRAMAT	ppm	0.01	0.05	3	PASS	ND	
SPIROXAMINE	ppm	0.01	0.05	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.01	0.05	1	PASS	ND	
THIACLOPRID	ppm	0.01	0.05	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.01	0.05	1	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.01	0.05	3	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.01	0.05	0.2	PASS	ND	
PARATHION-METHYL	ppm	0.01	0.05	0.1	PASS	ND	
CAPTAN	ppm	0.07	0.35	3	PASS	ND	
CHLORDANE	ppm	0.01	0.05	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.01	0.05	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.05	0.25	1	PASS	ND	
CYPERMETHRIN	ppm	0.05	0.25	1	PASS	ND	

Analysed by: 3379.585.1440 Weight: 1.1364g Extraction date: 10/21/25 15:53:51 Extracted by: 450.3379

Analysis Method : SOP.T.30.102.FL.SOP.T.40.102.FL
Analytical Batch : DA092200PE5
Instrument Used : DA.LCMS.004 (PES) Batch Date : 10/21/25 11:01:04
Analysed Date : 10/23/25 13:26:55

Dilution : 250
Reagent : 102025.R02.102025.R01.043025.28
Consumables : 927.100.030125CH01.6698360-03
Pipette : NA

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64E20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PPA-Testing
97164

Signature
10/23/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0266.0860

Strain: MOONWATER BERRY TWIST -- MWBT30LOT03
Batch#: ; Batch Size: g
Sample Received: 10/20/2025; Report Created: 10/26/2025

Sampling: ; Environment:

MOONWATER BERRY TWIST -- MWBT30LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES
Type: Beverage

Kaycha Labs
2510CWB0266.0860
Matrix: Edible
TOPICAL, FLOWER, AND SUPPOSITORIES
Type: Beverage

Certificate of Analysis

Pages 3 of 5

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: DA51021010-003
Batch #: 1
Harvest/Lot ID: MWBT30LOT03

Ordered: 10/20/25
Sampled: 10/20/25
Completed: 10/23/25

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
<p>Analysis Method : SOP T 30 151A.FL, SOP T 40 151.FL Analytical Batch : DA092020VOL Instrument Used : DA-GCMS-011 Analyzed Date : 10/22/25 10:51:29 Batch Date : 10/21/25 11:01:47</p> <p>Dilution : 250 Reagent : 102025.R01; 043025.R0; 101525.R00; 101525.R01 Consumables : 597.100; 030125003; 23102100; 11439001 Pipette : DA-080; DA-146; DA-218</p> <p><small>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</small></p>							

Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.8	4	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.2	1	2	PASS	ND	
2-PROPANOL	ppm	50	250	500	PASS	ND	
ACETONE	ppm	75	375	750	PASS	ND	
ACETONITRILE	ppm	6	30	60	PASS	ND	
BENZENE	ppm	0.1	0.5	1	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	ND	
CHLOROFORM	ppm	0.2	1	2	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40	200	400	PASS	ND	
ETHYL ETHER	ppm	50	250	500	PASS	ND	
ETHYLENE OXIDE	ppm	0.5	2.5	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25	125	250	PASS	ND	
N-HEXANE	ppm	25	125	250	PASS	ND	
PENTANES (N-PENTANE)	ppm	75	375	750	PASS	ND	
PROPANE	ppm	500	2500	5000	PASS	ND	
TOLUENE	ppm	15	75	150	PASS	ND	
TOTAL XYLENES	ppm	15	75	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.5	12.5	25	PASS	ND	

Analysis by: 4451, 585, 1440 Weight: 0.0211g Extraction date: 10/21/25 12:18:23 Extracted by: 4451

Analysis Method : SOP T 40 041.FL
 Analytical Batch : DA09199350L
 Instrument Used : DA-GCMS-012
 Analyzed Date : 10/22/25 23:03:55 Batch Date : 10/21/25 10:14:34

Dilution : 1
 Reagent : 030420.09
 Consumables : 431526; 352502
 Pipette : 104-418 (25ul, Syringe - 44286); DA-418 (25ul, Syringe - 44288)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PPA-Testing
97164

Signature
10/23/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0266.0860

Strain: MOONWATER BERRY TWIST -- MWBT30LOT03
Batch#: ; Batch Size: g
Sample Received: 10/20/2025; Report Created: 10/26/2025
Sampling: ; Environment:

MOONWATER BERRY TWIST -- MWBT30LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs
2510CWB0266.0860
Matrix: Edible
TOPICAL, FLOWER, AND SUPPOSITORIES
Type: Beverage

Certificate of Analysis

Pages 4 of 5

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: DA51021010-003
Batch #: 1
Harvest/Lot ID: MWBT30LOT03

Ordered: 10/20/25
Sampled: 10/20/25
Completed: 10/23/25

PASSED

Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10	10	100000	PASS	<10	

Analyzed by: 4892, 4520, 585, 1440 **Weight:** 0.977g **Extraction date:** 10/21/25 11:38:28 **Extracted by:** 4520, 4892

Analysis Method: SOP T.40.056C
Analytical Batch: DA0919959MC
Instrument Used: DA-111 (PathogenX Scanner), DA-013 (Thermocycler), DA-188 (36.5°C Incubator), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block)
Analyzed Date: 10/23/25 10:18:38 **Batch Date:** 10/21/25 10:51:56

Dilution: 10
Reagent: 090325.12; 092425.R32; 022825.04
Consumables: 17080002049
Pipette: N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 4571, 585, 1440 **Weight:** 1.659g **Extraction date:** 10/21/25 11:37:44 **Extracted by:** 4520, 4892

Analysis Method: SOP T.40.209.FL
Analytical Batch: DA091996TYM
Instrument Used: DA-328 (25°C Incubator)
Analyzed Date: 10/23/25 13:43:23 **Batch Date:** 10/21/25 10:53:45

Dilution: 10
Reagent: 093025.48; 093025.53; 072425.R12; 102025.R24
Consumables: N/A
Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.002	0.01	0.02	PASS	ND	
AFLATOXIN B1	ppm	0.002	0.01	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.002	0.01	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.002	0.01	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.002	0.01	0.02	PASS	ND	

Analyzed by: 3375, 585, 1440 **Weight:** 11.284g **Extraction date:** 10/21/25 15:33:31 **Extracted by:** 450, 3379

Analysis Method: SOP T.30.102.FL, SOP T.40.102.FL
Analytical Batch: DA092001MYC
Instrument Used: DA-LCMS-004 (MYC)
Analyzed Date: 10/23/25 13:04:26 **Batch Date:** 10/21/25 11:01:44

Dilution: Z50
Reagent: 102025.R02; 102025.R01; 043025.28
Consumables: 927.100; 030125CH01; 6698360-03
Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantification (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PPA-Testing
97164

Signature
10/23/25



Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2510CWB0266.0860

Strain: MOONWATER BERRY TWIST -- MWBT30LOT03
Batch#: ; Batch Size: g
Sample Received: 10/20/2025; Report Created: 10/26/2025

Sampling: ; Environment:

MOONWATER BERRY TWIST -- MWBT30LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample: DA51021010-003
Batch #: 1
Harvest/Lot ID: MWBT30LOT03

Ordered: 10/20/25
Sampled: 10/20/25
Completed: 10/23/25

Pages 5 of 5

PASSED



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.08	0.4	5	PASS	ND	
ARSENIC	ppm	0.02	0.1	1.5	PASS	ND	
CADMIUM	ppm	0.02	0.1	0.5	PASS	ND	
MERCURY	ppm	0.02	0.1	3	PASS	ND	
LEAD	ppm	0.02	0.1	0.5	PASS	ND	

Analyzed by: 4531, 555, 1440 Weight: 0.2467g Extraction date: 10/21/25 13:25:18 Extracted by: 5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA091994HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : 10/23/25 08:38:50 Batch Date : 10/21/25 10:48:57

Dilution : 50
Reagent : 030125.R06; 102125.R05; 102125.R02; 101325.R14; 102125.R01; 102125.R03; 100725.O2; 101725.R17
Consumables : 030125.CH01; J608879-0193; 179436
Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantification (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-0002
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PPA-Testing
97164

Signature
10/23/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

