

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2508CWB0194.0653

Strain: Moonwater Clementine Orange MWO10LOT03
Batch#: ; Batch Size: g
Sample Received: 08/12/2025; Report Created: 08/18/2025

Sampling: ; Environment:

Moonwater Clementine Orange MWO10LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	0.003%	ND	NR
	$\Delta 9$ THC	Total CBD	
	10.06 mg/unit	10.06 mg/unit	
	Total THC	Total Cannabinoids	Moisture

Cannabinoids


Analyte	LOQ	Result	Result
	mg/unit	mg/unit	mg/mL
THCa	3.40	ND	ND
$\Delta 9$ -THC	3.40	10.06	0.03
$\Delta 8$ -THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	ND	ND
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		10.06	0.03

1 mL = 1.0049g.

Total THC = THCa * 0.877 + $\Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505




Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2508CWB0194.0653

Strain: Moonwater Clementine Orange MWO10LOT03
Batch#: ; Batch Size: g
Sample Received: 08/12/2025; Report Created: 08/18/2025

Sampling: ; Environment:

Moonwater Clementine Orange MWO10LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



kaycha
LABS
4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs
2508CWB0194.0653
Matrix: Edible



Certificate of Analysis

COMPLIANCE FOR RETAIL
Laboratory Sample ID: DA50813009-007



Production Method: Other - Not Listed
Harvest/Lot ID: MWO10LOT03
Batch#: -
Harvest Date: 08/12/25
Sample Size Received: 11 units
Total Amount: 11 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Sampled: 08/12/25
Completed: 08/16/25
Sampling Method: KP

Aug 16, 2025 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US



PASSED

Pages 1 of 4

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
NOT TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E50-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL 0002
SQ 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # IALAP
Testing 97164

[Signature]
Signature
08/16/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2508CWB0194.0653

Strain: Moonwater Clementine Orange MWO10LOT03
Batch#: ; Batch Size: g
Sample Received: 08/12/2025; Report Created: 08/18/2025

Sampling: ; Environment:

Moonwater Clementine Orange MWO10LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs

2508CWB0194.0653
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (873) 250-5423
Email: bfanagan@clearwaterbiotech.com

Sample: DA50813009-007

Harvest Lot ID: MWO10LOT03

Batch#: Sample Size Received: 11 units
Sampled: 08/13/25 Total Amount: 111 units
Order #: 08/13/25 Completed: 08/07/25 Expires: 08/16/26
Sample Method: 197

Page 2 of 4

Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	FLACLOTRIAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETOSAM	0.01	ppm	3	PASS	ND	PHALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCTYL	0.01	ppm	2	PASS	ND	SPINOCHLORIN	0.01	ppm	3	PASS	ND
ACELENIRID	0.01	ppm	3	PASS	ND	SPIROTRINAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	1	PASS	ND
ADZYSTROBIN	0.01	ppm	3	PASS	ND	THIAMETHOXAM	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	TRIFLUXETROBIN	0.01	ppm	3	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	TRICLOZOL	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
CARBAARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLUXETROBIN	0.01	ppm	3	PASS	ND
CHLORANTHRAIPIROLE	0.01	ppm	3	PASS	ND	PENTACHLOROTROBENZENE (PCNB) *	0.01	ppm	0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *	0.01	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	ppm	3	PASS	ND
CLOFENTHINE	0.01	ppm	0.5	PASS	ND	CHLORBAEM *	0.01	ppm	0.1	PASS	ND
COUNAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	ppm	0.1	PASS	ND
DAIHOXIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	ppm	1	PASS	ND
DAZINON	0.01	ppm	3	PASS	ND	CYFENUTHRIN *	0.05	ppm	1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis by: Weight: Extraction date: Extracted by:					
DIRETHOATE	0.01	ppm	0.1	PASS	ND	4056, 585, 1440 0.8119g 08/16/25 13:50:02 4056,450,585					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP T.30.102.FL, SOP T.40.102.FL					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch: DA089539P25					
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used: DA-C095-004 (PSES)					
FENOTYCARB	0.01	ppm	0.1	PASS	ND	Batch Date: 08/16/25 14:36:23					
FENPROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 2:50					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: D08625.R05, 043025.28, 081225.R26, 081225.R25, 081225.R24, 070225.R43, 081325.R03					
FLORICANID	0.01	ppm	2	PASS	ND	Consumables: 947.110, 030125C001, 6822423-02					
FLUDIOKSONIL	0.01	ppm	3	PASS	ND	Pipette: DA-096, DA-208, DA-218					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64E09.09.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis by: Weight: Extraction date: Extracted by:					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 1440 0.8119g 08/16/25 13:50:02 4056,450,585					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method: SOP T.30.151A.FL, SOP T.40.151.FL					
MALATHION	0.01	ppm	2	PASS	ND	Analytical Batch: DA089531V01					
METALAXYL	0.01	ppm	3	PASS	ND	Instrument Used: DA-C095-001					
METHOCHARB	0.01	ppm	0.1	PASS	ND	Batch Date: 08/16/25 10:43:35					
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 2:50					
MEVPHOS	0.01	ppm	0.1	PASS	ND	Reagent: D08625.R05, 043025.28, 080725.R14, 080725.R15					
MYCLOTHIANIL	0.01	ppm	3	PASS	ND	Consumables: 947.110, 030125C001, 6822423-02, 17473801					
NALED	0.01	ppm	0.5	PASS	ND	Pipette: DA-080, DA-146, DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64E09.09.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E09.09 and F.S. Rule 56C-54. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # 05010C
17025:2017 Accreditation PLA-
Testing 97164

Signature
08/16/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2508CWB0194.0653

Strain: Moonwater Clementine Orange MWO10LOT03
Batch#: ; Batch Size: g
Sample Received: 08/12/2025; Report Created: 08/18/2025

Sampling: ; Environment:

Moonwater Clementine Orange MWO10LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

2508CWB0194.0653
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (873) 250-5413
Email: info@clearwaterbiotech.com

Sample: DA50813009-007

Harvest/Lot ID: MWO10LOT03

Batch: ; Sample Size Received: 11 units
Sampled: 08/13/25 Total Amount: 11 units
Ordered: 08/13/25 Completed: 08/15/25 Expires: 08/16/25
Sample Method: 197

Page 3 of 4



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	500	ppm	1	PASS	ND
BUTANES (N-BUTANE)	0.1	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 4451, 585, 1440 Weight: 0.0211g Extraction date: 08/14/25 11:01:28 Extracted by: 4451
Analysis Method: SOP T.40.041.FL
Analytical Batch: DA038932750L
Instrument Used: DA-GCMS-003 Batch Date: 08/14/25 10:35:02
Analyzed Date: 08/15/25 09:35:34

Dilution: 1
Reagent: 030420.09
Consumables: 429651, 319008
Vials: DA-418 (25ul, Syringe - 44286); DA-418 (25ul, Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64E02-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E02-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
SQ 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
08/16/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@upstatebev.co
(864) 434-9011
Lic. #

Sample: 2508CWB0194.0653

Strain: Moonwater Clementine Orange MWO10LOT03
Batch#: ; Batch Size: g
Sample Received: 08/12/2025; Report Created: 08/18/2025

Sampling: ; Environment:

Moonwater Clementine Orange MWO10LOT03

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664



Kaycha Labs
2508CWB0194.0653
Matrix: Edible
Type: Beverage

Certificate of Analysis

PASSED

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC 29607, US
Telephone: (873) 250-9413
Email: bfanagan@clearwaterbiotech.com

Sample: DA50813009-007
Harvest Lot ID: MWO10LOT03
Batch: ;
Sample Size Received: 11 units
Sampled: 08/13/25
Ordered: 08/13/25
Total Amount: 11 units
Completed: 08/07/25 Expires: 08/16/26
Sample Method: 919

Page 4 of 4

	Microbial	PASSED		Mycotoxins	PASSED
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis by: 4056, 585, 1440	Weight: 0.9315g	Extraction date: 08/14/25 13:50:02	Extracted by: 4056, 450, 585		

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5

Microbial
Analysis Method: SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL
Analytical Batch: DA0894929MC
Instrument Used: DA-111 (PathogenDx Scanner), DA-171 (Thermocycler), DA-949 (95°C Heat Block), DA-402 (55°C Heat Block) 07-09-48
Batch Date: 08/14/25
Dilution: 10
Reagent: 060925.10; 071525.219; 072425.R11; 022825.03
Consumables: 7585001042
Pipette: N/A

Mycotoxins
Analysis Method: SOP T.30.102 FL, SOP T.40.102 FL
Analytical Batch: DA08952MFC
Instrument Used: DA-CMS-004 (HPLC)
Batch Date: 08/14/25 11:10:17
Dilution: 250
Reagent: 080625.R05; 043025.28; 081225.R26; 081225.R25; 081225.R24; 070225.R43; 081225.R03
Consumables: 947.110; 030125CH01; 6822423-02
Pipette: DA-094; DA-208; DA-219

Heavy Metals
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64E820-39.

Heavy Metals
Analysis Method: SOP T.30.082 FL, SOP T.40.082 FL
Analytical Batch: DA08951SHEA
Instrument Used: DA-ICPMS-004
Batch Date: 08/14/25 09:46:55
Dilution: 50
Reagent: 081325.R05; 071525.R43; 081125.R12; 081325.R06; 081125.R10; 081125.R11; 080625.01; 080125.R10; 061125.01
Consumables: 030125CH01; 6608979-0193; 179436
Pipette: DA-061; DA-191; DA-216

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E820-39 and F.S. Rule 56-K. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL 0002
ISO 17025 Accreditation # 0501EC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
08/16/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.